

THE CREATOR

100% Battery-Electric School Bus



EMPOWERING EDUCATION





EMPOWERING EDUCATION

THE CREATOR includes the latest innovations that enhance air quality, reduce emissions, and provide a healthier environment for our communities.

DIMENSIONS

36.58 ft. / 39.32 ft. Length

Width 96 in. Height 133 in.

260 in. / 280 in. Wheelbase **GVWR** 32,625 lbs. / 34,788 lbs.

Up to 66 / Up to 78 Passenger Seats

Wheelchair Area Optional



208 miles

Range¹



282 kWh

Battery Capacity²



Battery Warranty

PERFORMANCE

Top Speed 65 mph Max Gradeability

Range¹ Up to 208 miles / 187 miles

Approach / Departure Angle 23° / 10°

CHASSIS

Front Axle 11,020 lbs. Rear Axle 24,250 lbs.

Suspension F: Leaf Spring, R: Air Suspension Brakes F+R Disc Brakes, EBS+ESC

Tires 11R 22.5

POWERTRAIN

Motor Type **AC Synchronous** Max Power 260 kW Max Torque 750 N*m

Transmission 2 Speed Transmission

Battery Type LFP Battery Battery Capacity² 282 kWh


Charging³ CCS Combo DC / J1772 AC

Charging Capability, Bi-Directional (V2G) Level 2 - Up to 19.2 kW AC - 15 hrs. Level 3 - Up to 110 kW DC - 2.5 hrs.

All information based on the latest data available at the time of printing. **Final specs subject to change at production.**

- Variables affecting range include air temperature, weather, grade, speed, driver habits, and use of air conditioning and heating.
 Initial battery capacity shown. May decrease with time and use.
 Battery age and outside ambient temperature affect charging times.

Rev 06.1-24





RIDE Coach & Bus 888 E. Walnut St, Suite 200B Pasadena, CA 91101 info.na@ride.co | 626.770.4678



Real Innovation Delivered with Excellence





THE ACHIEVER

100% Battery-Electric School Bus



EMPOWERING EDUCATION





EMPOWERING EDUCATION

THE ACHIEVER includes the latest innovations that enhance air quality, reduce emissions, and provide a healthier environment for our communities.

DIMENSIONS

26.7 ft. Length Width 96 in. Height 128 in. Wheelbase 185 in. **GVWR** 21,500 lbs. Passenger Seats Up to 30 Wheelchair Area Optional



Range¹



156 kWh

Battery Capacity²



Battery Warranty

PERFORMANCE

Top Speed 65 mph Max Gradeability 28% Range¹ Up to 130 miles Approach / Departure Angle 20° / 10°

CHASSIS

Front Axle 7,500 lbs. Rear Axle 14,100 lbs.

Suspension Leaf Spring Suspension F+R Air Disc Brakes, EBS+ESC Brakes

Tires 215/75 R17.5

POWERTRAIN

Motor Type **AC Synchronous** Max Power 200 kW Max Torque 2,800 N*m Transmission Direct Drive, No Transmission

Battery Type LFP Battery Battery Capacity² 156 kWh

Charging Type³ CCS Combo DC / J1772 AC

> Charging Capability, Bi-Directional (V2G) Level 2 - Up to 19.2 kW AC - 8-9 hrs. Level 3 - Up to 110 kW DC - 1-2 hrs.

All information based on the latest data available at the time of printing. Final specs subject to change at production.

- Variables affecting range include air temperature, weather, grade, speed, driver habits, and use of air conditioning and heating.
 Initial battery capacity shown. May decrease with time and use.
 Battery age and outside ambient temperature affect charging times.

Rev 06.1-24













THE DREAMER

100% Battery-Electric School Bus



EMPOWERING EDUCATION





EMPOWERING EDUCATION

THE DREAMER includes the latest innovations that enhance air quality, reduce emissions, and provide a healthier environment for our communities.

DIMENSIONS

40 ft. Length 102 in. Width Height 134 in. Wheelbase 274 in. **GVWR** 39,680 lbs. Passenger Seats Up to 81 Wheelchair Area Optional



155 miles

Range¹



255 kWh

Battery Capacity²

SCHOOL BUS



Battery Warranty

PERFORMANCE

Top Speed 65 mph Max Gradeability 20% Range¹ Up to 155 miles Approach / Departure Angle 8.3° / 9°

CHASSIS

Front Axle 16,090 lbs. Rear Axle 28,660 lbs. Suspension Air Suspension

F+R Air Disc Brakes, EBS+ESC Brakes

305/70 R22.5 Tires

POWERTRAIN

Rev 06-24

Motor Type AC Synchronous Max Power 150 kW x 2 Max Torque 1100 N*m

Transmission Direct Drive, No Transmission

Battery Type LFP Battery Battery Capacity² 255 kWh

Charging Type³ CCS Combo DC / J1772 AC

> Charging Capability, Bi-Directional (V2G) Level 2 - Up to 19.2 kW AC - 14.5-15 hrs. Level 3 - Up to 110 kW DC - 2.5-3 hrs.

All information based on the latest data available at the time of printing. **Final specs subject to change at production.**

- Variables affecting range include air temperature, weather, grade, speed, driver habits, and use of air conditioning and heating.
 Initial battery capacity shown. May decrease with time and use.
 Battery age and outside ambient temperature affect charging times.







Real Innovation Delivered with Excellence

